

Product Classification

- Product Type Adapter
- Ordering Note CommScope® non-standard product

Stainless steel

General Specifications

Adapter TypeStand-off adapterMounting3/4 in through hole

Dimensions

Material Thickness 2.591 mm | 0.102 in

Material Specifications

Material Type

Mechanical Specifications

Maximum Loading Double stack, 1-5/8 in cable

Packaging and Weights

Height, packed	12 cm 4.724 in
Width, packed	11 cm 4.331 in
Length, packed	1 cm 0.394 in
Packaging quantity	10
Weight, gross	0.58 kg 1.279 lb

Regulatory Compliance/Certifications

Agency

Classification

Three-way Stand-off Adapter for 5–6 in round members





TTS3-56

CHINA-ROHS

ISO 9001:2015

ROHS

Included Products

31670-5	-	Round Member Adapter for 5–6 in round members
SA-38	-	Universal Stand-off Adapter, 3 Hanger Points
UAAI	_	Universal Angle Adapter Insert

Compliant

Below maximum concentration value

Designed, manufactured and/or distributed under this quality management system

Page 2 of 8





Round Member Adapter for 5–6 in round members

Product Classification	
Product Type	Adapter
Ordering Note	CommScope® non-standard product
General Specifications	
Adapter Type	Round member adapter
Dimensions	
Compatible Diameter, maximum	152.4 mm 6 in
Compatible Diameter, minimum	127 mm 5 in
Material Thickness	0.711 mm 0.028 in
Material Specifications	
Material Type	Stainless steel
Mechanical Specification	IS
Maximum Loading	Triple stack, 1-5/8 in cable
Packaging and Weights	
Height, packed	36 cm 14.173 in
Width, packed	27 cm 10.63 in

Width, packed	27 cm 10.63 in
Length, packed	8 cm 3.15 in
Packaging quantity	10
Weight, gross	0.51 kg 1.124 lb

Regulatory Compliance/Certifications

Page 3 of 8



31670-5

Agency

ISO 9001:2015

REACH-SVHC

ROHS



Classification

Designed, manufactured and/or distributed under this quality management system Compliant as per SVHC revision on www.commscope.com/ProductCompliance Compliant

Page 4 of 8





Universal Stand-off Adapter, 3 Hanger Points

Product Classification

Product Type	Adapter
Ordering Note	CommScope® standard product in the United States and Canada

General Specifications

Adapter Type	Adapter
Mounting	3/4 in through hole

Dimensions

Height	2.54 mm 0.1 in
Outside Width	41.402 mm 1.63 in
Outside Length	85.852 mm 3.38 in
Material Thickness	2.591 mm 0.102 in

Material Specifications

Material Type

Stainless steel

Mechanical Specifications

Maximum Loading Double stack, 1-5/8 in cable

Packaging and Weights

Height, packed	12 cm 4.724 in
Width, packed	11 cm 4.331 in
Length, packed	1 cm 0.394 in
Packaging quantity	10
Weight, gross	0.58 kg 1.279 lb

Page 5 of 8



Regulatory Compliance/Certifications

Agency

Classification

CHINA-ROHS

ISO 9001:2015

REACH-SVHC



Below maximum concentration value Designed, manufactured and/or distributed under this quality management system Compliant as per SVHC revision on www.commscope.com/ProductCompliance Compliant





Product Classification

 Product Type
 Adapter

 Ordering Note
 CommScope® non-standard product

Universal Angle Adapter Insert

General Specifications

Adapter Type	Adapter
Mounting	3/8 in tapped hole

Dimensions

Outside Width	12.7 mm	0.5 in
Outside Length	25.4 mm	1 in
Material Thickness	12.7 mm	0.5 in

Material Specifications

Material Type

Mechanical Specifications

Maximum Loading Triple stack, 1-5/8 in cable

Stainless steel

Packaging and Weights

Height, packed	4 cm 1.575 in
Width, packed	5 cm 1.969 in
Length, packed	1 cm 0.394 in
Packaging quantity	10
Weight, gross	0.13 kg 0.287 lb

Page 7 of 8



UAAI

Regulatory Compliance/Certifications

Agency

Classification

CHINA-ROHS

ISO 9001:2015

REACH-SVHC

ROHS



Below maximum concentration value Designed, manufactured and/or distributed under this quality management system Compliant as per SVHC revision on www.commscope.com/ProductCompliance Compliant

Page 8 of 8

