

SiteStreamer™ II

Powerful Monitoring at Your Fingertips



INOVONICS PRESENTS

A new generation of SiteStreamers
for remote signal monitoring

The INOmini 645 SiteStreamer II is a Web enabled FM receiver for remote signal monitoring. Installed at a broadcast transmitter or any remote location with good reception and an Internet connection, the 645 streams live audio for up to ten listeners.

The browser-accessed Web Interface enables remote tuning and source switching. The StationRotation™ feature permits monitoring of station presets by 'round robin' sequencing of up to 30 stations - each with its specific alarm parameters.

The new 645 FM SiteStreamer II picks-up where its predecessor left-off with a sensitive SDR-based tuner, improved LCD display, high-quality streaming for multiple listeners, improved metering for both off-air and Auxiliary reception, more alarm options, 2 levels of password protection, and much, much more.

INOVONICS
BROADCAST

INOmini 645

FM / RDS SITESTREAMER™ II



The new 645 FM SiteStreamer II adds new functionality to its predecessor with a sensitive SDR-based tuner, improved LCD display, high-quality streaming for multiple listeners, improved metering for off-air and Auxiliary reception, more alarm options, password protection, and much, much more.



NEW FEATURE HIGHLIGHTS

- Monitor both Radio and Aux audio levels simultaneously with meters.
- Ten simultaneous listeners over streamed audio.
- Streaming is HE-AACv2 for better audio quality.
- UDP audio streaming for skimmers/recording.
- Select which presets to include in StationRotation.
- Quick View of alarm status to include in StationRotation.
- BandScanner shows station RDS info.
- Password protection with 2 levels.
- Remote firmware updates.
- User Manual available on web interface.

OTHER SITESTREAMER™ II MODELS AVAILABLE:

SiteStreamers are Web enabled receivers for remote signal monitoring from the transmitter site or any remote location with good reception and Internet.



INOmini 647
AM SITESTREAMER™ II



INOmini 648
HD Radio SITESTREAMER™ II



INOmini 663
DAB+ SITESTREAMER™ II



Optional rack mount accessory can mount 1-3 INOmini's in a 1U space (as shown)

How do you know what your listeners are receiving on their radios?


SiteStreamers complete the circle by providing valuable off-air reception information live from your remote broadcasts.



Monitor from the transmitter site or any remote location via an easy to use Web Interface.

Stream off-air audio or wired audio feedback to any computer, tablet, or mobile device.

Tune your station remotely and set up error notifications via email/SMS-SNMP supported.



WHY INOVONICS?

- Quality Solutions. Competitive Prices.
- Three-year Factory Warranty.
- Quick to Install. Simple to Program.
- Quality After-Sales Service.

5805 Highway 9 | Felton, CA 95018 (USA)

Tel: (+1) 831-458-0552 | Email: sales@inovonicsbroadcast.com | Web: www.inovonicsbroadcast.com