



# COMPACT M 05

TWO-WAY PROFESSIONAL SPEAKER



## Description

COMPACT M 05 is a multipurpose two-way full-range speaker system, suitable for a wide range of applications. Its balanced sound is a big asset in near-field applications for the best intelligibility. M 05 features high sensitivity, typical of professional audio cabinets thanks to the use of oversized magnets and a HI-FI sound quality, with smooth and wide frequency response, thanks to the wave-guided neodymium dome tweeter. The SPL level of low-distortion audio the M 05 can provide goes far beyond expectations of such a compact solution. The elegant and compact design with accurate finishing makes M 05 suitable for almost any environment, even with architectural constraints. Optional mounting accessories allow the use of the M 05 on wall or ceiling installations.

## Features

- › 80 W RMS power handling
- › 115 dB max SPL
- › 70 ÷ 20000 Hz frequency range
- › 120° x 80° constant directivity coverage angle
- › 1 x 5" high power woofer
- › 1 x 1" voice coil neodymium dome tweeter
- › High quality plywood cabinet
- › Steel front grille with clothing
- › Installation points available on rear, top and bottom panels
- › 4 pole EUROBLOCK connector (audio input and parallel link output)

## Part Number

13000581 COMPACT M 05  
13000720 COMPACT M 05 W


Black - RAL 9005 EAN 8024530017774  
White - RAL 9003 EAN 8024530019327



# COMPACT M 05

TWO-WAY PROFESSIONAL SPEAKER

Line Art 2D



RCF SPEAKER COMPACT M 05

REV. B

## TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB)	70 Hz - 20000 Hz
	Max SPL @ 1m	115 dB
	Horizontal coverage angle	120°
	Vertical coverage angle	80°
	Directivity index Q	7
	System Sensitivity	89 dB
Power section	Amplification	Full Range
	Nominal Impedance	8 ohm
	Power Handling	80 W
	Peak Power Handling	320 W PEAK
	Crossover Frequencies	2200 Hz
	Recommended Amplifiers	XPS SERIES, KPS SERIES, DMA SERIES, QPS SERIES, IPS SERIES
Transducers	Dome Tweeter	1 x 1.3" neo, 1.0" v.c
	Woofer	1 x 5.0", 1.2" v.c
Input/Output section	Input connectors	Euroblock
	Output connectors	Euroblock
Standard compliance	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material	Plywood
	Hardware	4 x M6, 2 x M8
	Grille	Steel with clothing
	Color	Black - RAL 9005, White - RAL 9003



# COMPACT M 05

TWO-WAY PROFESSIONAL SPEAKER

Size / Weight	Height	303 mm / 11.93 inches
	Width	172 mm / 6.77 inches
	Depth	191 mm / 7.52 inches
	Weight	4.2 kg / 9.26 lbs

## ACCESSORIES

### Rigging / Mounting

#### HORIZONTAL BRACKETS

13360550	H-BR 004	Black - RAL 9005	EAN 8024530021580
13360597	H-BR 004	White - RAL 9003	EAN 8024530021597

#### SWIVEL WALL MOUNT BRACKETS

13360449	SWM-BR COMPACT M	Black - RAL 9005	EAN 8024530017842
13360468	SWM-BR COMPACT M	White - RAL 9003	EAN 8024530018863

#### WALL MOUNT BRACKETS

13360539	WM-BR 001	Black - RAL 9005	EAN 8024530021344
----------	-----------	------------------	-------------------

### Upgrade Kits

#### CONNECTION PANELS

12399063	PNL IN-OUT AMPHENOL	Black	EAN 8024530020149
12399062	PNL IN-OUT SPEAKON	Black	EAN 8024530018733